
## Wood Shed Foundation Preparation

1. Verify the overall dimensions of your wood shed foundation. The excavation site should extend a minimum of 12 inches past the foundation in all directions.





- 2. Consult local building codes for proper excavation depth (usually 4 6 inches). Be sure to level bottom of the site.
- 3. Fill excavation site with crushed gravel (road rock works best), and compact the entire site.
- 4. Level the top of the gravel base
- 5. Place wood shed foundation on gravel.



6. Consult local building codes for approved methods of anchoring wood foundation to ground (if desired).

## BMS7300 WOOD PLATFORM DIMENSIONS







## MATERIAL LIST:

ITEM	QTY	SIZE
Α	1	42-3/4" x 84" x 3/4"
В	4	2" x 6" x 81"
С	4	2" x 6" x 12"
D	2	2" x 6" x 42-3/4"

PLEASE NOTE-DIMENSIONAL LUMBER IS ACTUALLY 1/2" SMALLER THAN NOTED SIZES (A 2 X 6 BOARD ACTUALLY MEASURES 1-1/2" X 5-1/2")

# BMS7300 WOOD PLATFORM DIMENSIONS (METRIC)





## MATERIAL LIST:

ITEM	QTY	SIZE (cm)
Α	1	108.58 x 213.36 x 1.9
В	4	3.81 x 13.97 x 205.74
С	4	3.81 x 13.97 x 30.48
D	2	3.81 x 13.97 x 108.58

METRIC SIZING REFLECTS EXACT LUMBER DIMENSIONS